

— CREATES MOBILE WORKPLACES —

MAN
TGE




SYSTEM 
EDSTRÖM

MAN TGE STANDARD 3640 mm wheel base

All kits are provided flat packed. Mounting times are advisory and for your reference only.

All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.




| Art.No | LxDxH | Kg | Hr. |
|--------|------------------|----|-----|
| F41901 | 1539x300x1440 mm | 54 | 3,3 |



| Art.No | LxDxH | Kg | Hr. |
|--------|------------------|----|-----|
| F41900 | 2869x300x1440 mm | 59 | 4,4 |




| Art.No | LxDxH | Kg | Hr. |
|--------|------------------|----|-----|
| F41903 | 1539x300x1440 mm | 76 | 4,7 |



| Art.No | LxDxH | Kg | Hr. |
|--------|------------------|----|-----|
| F41902 | 2869x300x1440 mm | 83 | 4,4 |



| Art.No | LxDxH | Kg | Hr. |
|--------|------------------|----|-----|
| F41905 | 1662x300x1735 mm | 74 | 5,4 |



| Art.No | LxDxH | Kg | Hr. |
|--------|------------------|-----|-----|
| F41904 | 2904x470x1440 mm | 135 | 5,8 |



| Art.No | LxDxH | Kg | Hr. |
|--------|-----------------|-----|-----|
| F41907 | 1599x470x855 mm | 107 | 4,5 |




| Art.No | LxDxH | Kg | Hr. |
|--------|------------------|-----|-----|
| F41906 | 2869x300x1735 mm | 110 | 6,6 |


MAN TGE LONG 4490 mm wheel base

All kits are provided flat packed. Mounting times are advisory and for your reference only.


All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.



| Art.No | LxDxH | Kg | Hr. |
|--------|------------------|----|-----|
| F41921 | 2101x300x1440 mm | 63 | 3,3 |



| Art.No | LxDxH | Kg | Hr. |
|--------|------------------|----|-----|
| F41920 | 3474x300x1440 mm | 67 | 4,4 |



| Art.No | LxDxH | Kg | Hr. |
|--------|------------------|-----|-----|
| F41923 | 2101x300x1440 mm | 109 | 5,0 |




| Art.No | LxDxH | Kg | Hr. |
|--------|------------------|-----|-----|
| F41922 | 3596x300x1440 mm | 104 | 4,5 |




| Art.No | LxDxH | Kg | Hr. |
|--------|------------------|-----|-----|
| F41925 | 2314x300x1440 mm | 124 | 5,9 |



| Art.No | LxDxH | Kg | Hr. |
|--------|------------------|-----|-----|
| F41924 | 3565x470x1670 mm | 173 | 5,8 |



| Art.No | LxDxH | Kg | Hr. |
|--------|-----------------|-----|-----|
| F41927 | 2340x470x855 mm | 163 | 5,3 |




| Art.No | LxDxH | Kg | Hr. |
|--------|------------------|-----|-----|
| F41926 | 3597x300x1440 mm | 120 | 6,3 |


MAN TGE EXTRA-LONG 4490 mm wheel base

All kits are provided flat packed. Mounting times are advisory and for your reference only.

All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.



| Art.No | LxDxH | Kg | Hr. |
|--------|------------------|----|-----|
| F41941 | 2916x300x1440 mm | 79 | 3,9 |



| Art.No | LxDxH | Kg | Hr. |
|--------|------------------|----|-----|
| F41940 | 4110x300x1440 mm | 80 | 5,0 |




| Art.No | LxDxH | Kg | Hr. |
|--------|------------------|-----|-----|
| F41943 | 2916x300x1440 mm | 131 | 6,3 |




| Art.No | LxDxH | Kg | Hr. |
|--------|------------------|-----|-----|
| F41942 | 4187x300x1440 mm | 116 | 5,3 |



| Art.No | LxDxH | Kg | Hr. |
|--------|------------------|-----|-----|
| F41945 | 2916x300x1440 mm | 140 | 7,2 |



| Art.No | LxDxH | Kg | Hr. |
|--------|------------------|-----|-----|
| F41944 | 4136x470x1670 mm | 218 | 6,8 |



| Art.No | LxDxH | Kg | Hr. |
|--------|-----------------|-----|-----|
| F41947 | 2822x470x855 mm | 231 | 7,2 |



| Art.No | LxDxH | Kg | Hr. |
|--------|------------------|-----|-----|
| F41946 | 4098x300x1440 mm | 143 | 6,9 |

INFORMATION



GENERAL INFO

All kits include what you see in the drawing, as well as installation parts, rubber mats for all shelves and foam for drawers.

System Edström Bilinredningar AB is certified SS-EN ISO 9001:2015, ensuring our commitment to managerial quality and high accuracy in our deliveries.

All materials used by System Edström are 100% recyclable. We are also certified to SS-EN ISO 14001:2015.



REMEMBER

By choosing System Edström for your vehicle, you have taken the first and most important step to making your mobile workshop safe and functional. From here on, it is up to you how safe and functional your working place will be.

As the driver, you have full responsibility if you or anyone else is injured owing to poorly secured cargo. You are also responsible for ensuring the interior is mounted in the safest way possible, whatever your choice of workshop, even when using professional, knowledgeable and experienced installers.

DO NOT exceed the maximum payload of the vehicle.



SECURITY

Our products are safety tested with crash testing to the most stringent standards. All our products are crash tested to ECE 17:07 by Milbrook in England, and also Valutec in France (INRS NS286).

Find out more about our company and products at www.systemedstrom.com.





Vice

| Depth | Width | Height | Kg | Part.No |
|-------|-------|--------|------|---------|
| 360 | 135 | 140 | 10,3 | 5004 |


The forged vice is complete with pipe jaw and turning plate. Max opening 140 mm.



Vice Holders

| Depth | Width | Height | Kg | Part.No |
|-------|-------|--------|-----|---------|
| 1110 | 210 | 195 | 9,4 | 5012 |
| 1110 | 210 | 80 | 8,9 | 5013 |


Plate measurement 180x210 mm. Cover 2950 is included.




Gas bottle holder adjustable

| Depth | Width | Height | Tube Ø | Kg | Part.No |
|-------|-------|--------|--------|-----|---------|
| 150 | 300 | 97 | < 300 | 0,9 | 2910 |

Liquefied petroleum gas P6 (bottles with 320 mm Ø can be stored after modification).



4370



4360



4362

Pegboard tray

| Depth | Width | Height | Kg | Part.No |
|-------|-------|--------|-----|---------|
| 82 | 200 | 80 | 0,5 | 4360 |
| 82 | 285 | 102 | 0,8 | 4362 |
| 122 | 455 | 122 | 1,5 | 4364 |
| 153 | 179 | 575 | 3,0 | 4370 |

A number of different trays that solve (almost) all storage problems.



4364



Internal ladder holder

| Length | Kg | Part.No |
|--------|-----|---------|
| 2400 | 3,9 | T8900 |

Our internal ladder holder allows you to store your ladder on the inside of the roof and pull it back to the rear door simply. The aluminium rail comes in two parts with a joining piece.





4077



4349

Hose/Cable rack

| Depth | Width | Height | Kg | Part.No |
|-------|-------|--------|-----|---------|
| 79 | 267 | 168 | 0,5 | 4077 |

Tube holder

| | | | | |
|----|-----|-----|-----|------|
| 66 | 194 | 123 | 0,4 | 4349 |
|----|-----|-----|-----|------|



4356




4357

Universal hook

| Depth | Width | Height | Kg | Part.No |
|-------|-------|--------|-----|---------|
| 85 | 80 | 100 | 0,2 | 4356 |
| 61 | 83 | 55 | 0,1 | 4357 |

Simplicity at its best. Heavy-duty hooks for mounting on a pegboard or hanging on the edge of a shelf.



Plastic bin for shelves

| Depth | Width | Height | Kg | Part.No |
|-------|-------|--------|-----|---------|
| 300 | 145 | 154 | 0,4 | 3050 |
| 300 | 235 | 154 | 0,5 | 3052 |
| 470 | 145 | 154 | 0,5 | 3055 |
| 470 | 235 | 154 | 0,5 | 3057 |

Transparent lid for plastic bins

| Depth | Width | Fits | Kg | Part.No |
|-------|-------|------|-----|---------|
| 300 | 150 | 3050 | 0,2 | 3060 |
| 300 | 240 | 3052 | 0,2 | 3062 |
| 470 | 150 | 3055 | 0,2 | 3065 |
| 470 | 240 | 3057 | 0,4 | 3067 |

Dividers for plastic bins

| Width | Height | Fits | Part.No |
|-------|--------|----------|---------|
| 140 | 154 | 3050, 55 | 3070 |
| 230 | 154 | 3052, 57 | 3072 |

Bracket for dropfront shelves


| Depth | Kg | Part.No |
|-------|-----|---------|
| 300 | 0,1 | 3081 |
| 470 | 0,2 | 3082 |



Clothes hook

| Depth | Width | Height | Kg | Part.No |
|-------|-------|--------|-----|---------|
| 31 | 295 | 40 | 0,3 | 2706 |
| 31 | 465 | 40 | 0,5 | 2708 |

We call it a clothes hook but, needless to say, you can hang whatever you want on it.





Strap with brackets

| Information | Width | Part.No |
|------------------------|-------|---------|
| 1200 mm, nylon strap | 25 | 4365 |
| 1000 mm, elastic strap | 25 | 4366 |


Brackets fit on our pegboards.

ACCESSORIES




| Pos. | Description |
|------|-----------------------|
| 1 | Universal hook |
| 2 | Cable/Hose rack |
| 3 | Pegboard basket |
| 4 | Vice and holders |
| 5 | Case support |
| 6 | Plastic bins |
| 7 | Drawer inserts |
| 8 | Shelf dividers |
| 9 | Tool case/File holder |
| 10 | Tool case |
| 11 | Gas bottle holders |
| 12 | Can/Tube holder |

Accessory package No. 1



Accessory package No. 2



Security package



| Art.No | Art.No | Art.No |
|------------------------|------------------------|--------|
| F11001 | F11002 | F11003 |
| Pegboard not included. | Pegboard not included. | |



For more products: www.systemedstrom.co.uk



Up to 5 years warranty



Crash tested



Made in Sweden

**SYSTEM
EDSTRÖM**

EDSTRÖM OF SWEDEN LTD.
7, Cronin Road
Weldon South Industrial Estate, Corby
Northamptonshire NN18 8 AQ

CONTACT
Telephone 01536 203040
Email info@edstrom.co.uk
Homepage www.systemedstrom.co.uk