


— CREATES MOBILE WORKPLACES —

MERCEDES

Citan, Vito, Sprinter & X-Class




SYSTEM 
EDSTRÖM


MERCEDES CITAN LONG

All kits are provided flat packed. Mounting times are advisory and for your reference only.

All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.



Art.No	LxDxH	Kg	Hr.
F40361	727x300x890 mm	25	2,6



Art.No	LxDxH	Kg	Hr.
F40360	1241x300x890 mm	19	2,1




Art.No	LxDxH	Kg	Hr.
F40363	812x300x890 mm	28	2,9




Art.No	LxDxH	Kg	Hr.
F40362	1241x300x890 mm	26	2,4




Art.No	LxDxH	Kg	Hr.
F40365	727x300x890 mm	36	2,5




Art.No	LxDxH	Kg	Hr.
F40366	1209x300x890 mm	51	3,4



Art.No	Height	Kg	Hr.
F40374	190	69	6,6



Art.No	Height	Kg	Hr.
F40375	250	87	7,1




Art.No	Height	Kg	Hr.
F40376	360	86	6,9


MERCEDES CITAN EXTRALONG

All kits are provided flat packed. Mounting times are advisory and for your reference only.


All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.



Art.No	LxDxH	Kg	Hr.
F40481	1108x300x890 mm	34	3,1



Art.No	LxDxH	Kg	Hr.
F40480	1633x300x890 mm	23	2,2




Art.No	LxDxH	Kg	Hr.
F40483	1197x300x890 mm	38	3,3




Art.No	LxDxH	Kg	Hr.
F40482	1633x300x890 mm	37	2,9



Art.No	LxDxH	Kg	Hr.
F40485	1108x300x890 mm	49	2,9



Art.No	LxDxH	Kg	Hr.
F40486	1601x300x890 mm	54	3,4



Art.No	Height	Kg	Hr.
F40494	190	77	6,6



Art.No	Height	Kg	Hr.
F40495	250	90	6,1




Art.No	Height	Kg	Hr.
F40496	360	100	6,9


MERCEDES VITO COMPACT

All kits are provided flat packed. Mounting times are advisory and for your reference only.

All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.




Art.No	LxDxH	Kg	Hr.
F41701	1061x300x1000 mm	20	2,2




Art.No	LxDxH	Kg	Hr.
F41700	1875x300x1000 mm	30	2,9



Art.No	LxDxH	Kg	Hr.
F41703	1107x300x1000 mm	40	3,1



Art.No	LxDxH	Kg	Hr.
F41702	1875x300x1000 mm	45	3,3



Art.No	LxDxH	Kg	Hr.
F41705	1061x300x1000 mm	31	2,4



Art.No	LxDxH	Kg	Hr.
F41704	1875x300x1000 mm	61	4,4



Art.No	Height	Kg	Hr.
F41710	190	107	7,5



Art.No	Height	Kg	Hr.
F41711	250	123	7,1




Art.No	Height	Kg	Hr.
F41712	360	121	7,5


MERCEDES VITO LONG

All kits are provided flat packed. Mounting times are advisory and for your reference only.

All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.




Art.No	LxDxH	Kg	Hr.
F41721	1240x300x1000 mm	22	2,2



Art.No	LxDxH	Kg	Hr.
F41720	2054x300x1000 mm	32	2,9



Art.No	LxDxH	Kg	Hr.
F41723	1286x300x1000 mm	42	3,1



Art.No	LxDxH	Kg	Hr.
F41722	2145x300x1000 mm	51	3,3



Art.No	LxDxH	Kg	Hr.
F41725	1240x300x1000 mm	35	2,4



Art.No	LxDxH	Kg	Hr.
F41724	2054x300x1000 mm	55	4,3



Art.No	Height	Kg	Hr.
F41730	190	107	7,5



Art.No	Height	Kg	Hr.
F41731	250	125	7,8




Art.No	Height	Kg	Hr.
F41732	360	139	7,8


MERCEDES VITO EXTRALONG

All kits are provided flat packed. Mounting times are advisory and for your reference only.


All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.



Art.No	LxDxH	Kg	Hr.
F41741	1453x300x1000 mm	24	2,2



Art.No	LxDxH	Kg	Hr.
F41740	2267x300x1000 mm	34	2,9



Art.No	LxDxH	Kg	Hr.
F41743	1499x300x1000 mm	53	3,1



Art.No	LxDxH	Kg	Hr.
F41742	2267x300x1000 mm	48	3,3



Art.No	LxDxH	Kg	Hr.
F41745	1240x470x1000 mm	45	2,4



Art.No	LxDxH	Kg	Hr.
F41744	2267x300x1000 mm	63	4,4



Art.No	Height	Kg	Hr.
F41750	190	111	7,5



Art.No	Height	Kg	Hr.
F41751	250	127	7,8



Art.No	Height	Kg	Hr.
F41752	360	141	7,8


MERCEDES SPRINTER SWB LOW ROOF

All kits are provided flat packed. Mounting times are advisory and for your reference only.


All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.



Art.No	LxDxH	Kg	Hr.
F44081	1287x300x890 mm	37	2,9



Art.No	LxDxH	Kg	Hr.
F44080	2270x470x1220 mm	49	2,5



Art.No	LxDxH	Kg	Hr.
F44083	1372x300x890 mm	41	3,2



Art.No	LxDxH	Kg	Hr.
F44082	2270x470x1220 mm	76	3,9



Art.No	LxDxH	Kg	Hr.
F44085	1287x300x890 mm	49	3,5



Art.No	LxDxH	Kg	Hr.
F44084	2270x300x1515 mm	80	5,2



Art.No	LxDxH	Kg	Hr.
F44087	1242x470x1220 mm	54	2,8




Art.No	LxDxH	Kg	Hr.
F44086	2270x300x1220 mm	84	5,0


MERCEDES SPRINTER MWB LOW ROOF

All kits are provided flat packed. Mounting times are advisory and for your reference only.

All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.



Art.No	LxDxH	Kg	Hr.
F44041	1679x300x890 mm	49	2,6



Art.No	LxDxH	Kg	Hr.
F44040	2841x470x1220 mm	57	2,5



Art.No	LxDxH	Kg	Hr.
F44043	1711x300x1220 mm	66	3,6




Art.No	LxDxH	Kg	Hr.
F44042	2841x470x1220 mm	101	4,1



Art.No	LxDxH	Kg	Hr.
F44045	1778x470x855 mm	140	4,1



Art.No	LxDxH	Kg	Hr.
F44044	2841x300x1735 mm	104	5,9



Art.No	LxDxH	Kg	Hr.
F44047	1242x470x1220 mm	54	2,8




Art.No	LxDxH	Kg	Hr.
F44046	3021x470x1510 mm	128	4,6


MERCEDES SPRINTER LWB HIGH ROOF

All kits are provided flat packed. Mounting times are advisory and for your reference only.


All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.




Art.No	LxDxH	Kg	Hr.
F45001	2499x300x890 mm	59	3,5




Art.No	LxDxH	Kg	Hr.
F45000	3878x470x1220 mm	76	3,4



Art.No	LxDxH	Kg	Hr.
F45003	2501x300x1220 mm	85	5,1




Art.No	LxDxH	Kg	Hr.
F45002	3878x470x1220 mm	131	5,5




Art.No	LxDxH	Kg	Hr.
F45005	2430x470x855 mm	190	5,3



Art.No	LxDxH	Kg	Hr.
F45004	3878x300x1735 mm	150	7,7



Art.No	LxDxH	Kg	Hr.
F45007	2450x470x1220 mm	81	4,3




Art.No	LxDxH	Kg	Hr.
F45006	3894x470x1510 mm	189	5,5


MERCEDES X-CLASS

All kits are provided flat packed. Mounting times are advisory and for your reference only.

All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.



Art.No	Height	Kg	Hr.
F45300	214	57	5,7



Art.No	Height	Kg	Hr.
F45301	220	57	2,5

INFORMATION



GENERAL INFO

All kits include what you see in the drawing, as well as installation parts, rubber mats for all shelves and foam for drawers.

System Edström Bilinredningar AB is certified SS-EN ISO 9001:2015, ensuring our commitment to managerial quality and high accuracy in our deliveries.

All materials used by System Edström are 100% recyclable. We are also certified to SS-EN ISO 14001:2015.



REMEMBER

By choosing System Edström for your vehicle, you have taken the first and most important step to making your mobile workshop safe and functional. From here on, it is up to you how safe and functional your working place will be.

As the driver, you have full responsibility if you or anyone else is injured owing to poorly secured cargo. You are also responsible for ensuring the interior is mounted in the safest way possible, whatever your choice of workshop, even when using professional, knowledgeable and experienced installers.


DO NOT exceed the maximum payload of the vehicle.



SECURITY

Our products are safety tested with crash testing to the most stringent standards. All our products are crash tested to ECE 17:07 by Milbrook in England, and also Valutec in France (INRS NS286).

Find out more about our company and products at www.systemedstrom.com.



Pegboard tray

Depth	Width	Height	Kg	Part.No
82	200	80	0,5	4360
82	285	102	0,8	4362
122	455	122	1,5	4364
153	179	575	3,0	4370

A number of different trays that solve (almost) all storage problems.



Internal ladder holder

Length	Kg	Part.No
2400	3,9	T8900

Our internal ladder holder allows you to store your ladder on the inside of the roof and pull it back to the rear door simply. The aluminium rail comes in two parts with a joining piece.



4077



4349

Hose/Cable rack

Depth	Width	Height	Kg	Part.No
79	267	168	0,5	4077

Tube holder

66	194	123	0,4	4349
----	-----	-----	-----	------



4356



4357

Universal hook

Depth	Width	Height	Kg	Part.No
85	80	100	0,2	4356
61	83	55	0,1	4357

Simplicity at its best. Heavy-duty hooks for mounting on a pegboard or hanging on the edge of a shelf.



Plastic bin for shelves

Depth	Width	Height	Kg	Part.No
300	145	154	0,4	3050
300	235	154	0,5	3052
470	145	154	0,5	3055
470	235	154	0,5	3057

Transparent lid for plastic bins

Depth	Width	Fits	Kg	Part.No
300	150	3050	0,2	3060
300	240	3052	0,2	3062
470	150	3055	0,2	3065
470	240	3057	0,4	3067

Dividers for plastic bins

Width	Height	Fits	Part.No
140	154	3050, 55	3070
230	154	3052, 57	3072

Bracket for dropfront shelves


Depth	Kg	Part.No
300	0,1	3081
470	0,2	3082



Clothes hook

Depth	Width	Height	Kg	Part.No
31	295	40	0,3	2706
31	465	40	0,5	2708

We call it a clothes hook but, needless to say, you can hang whatever you want on it.





Strap with brackets

Information	Width	Part.No
1200 mm, nylon strap	25	4365
1000 mm, elastic strap	25	4366


Brackets fit on our pegboards.

ACCESSORIES




Pos.	Description
1	Universal hook
2	Cable/Hose rack
3	Pegboard basket
4	Vice and holders
5	Case support
6	Plastic bins
7	Drawer inserts
8	Shelf dividers
9	Tool case/File holder
10	Tool case
11	Gas bottle holders
12	Can/Tube holder

Accessory package No. 1



Accessory package No. 2



Security package



Art.No	Art.No	Art.No
F11001	F11002	F11003
Pegboard not included.	Pegboard not included.	



For more products: www.systemedstrom.co.uk



Up to 5 years warranty



Crash tested



Made in Sweden

**SYSTEM
EDSTRÖM**

EDSTRÖM OF SWEDEN LTD.
7, Cronin Road
Weldon South Industrial Estate, Corby
Northamptonshire NN18 8 AQ

CONTACT
Telephone 01536 203040
Email info@edstrom.co.uk
Homepage www.systemedstrom.co.uk