

— CREATES MOBILE WORKPLACES —

NISSAN

E-NV200, NV250, NV300, NV400 & Navara



SYSTEM 
EDSTRÖM


NISSAN E-NV200

All kits are provided flat packed. Mounting times are advisory and for your reference only.


All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.




Art.No	LxDxH	Kg	Hr.
F40461	895x300x890 mm	39	3,1




Art.No	LxDxH	Kg	Hr.
F40460	1454x300x890 mm	24	2,1




Art.No	LxDxH	Kg	Hr.
F40463	984x300x890 mm	44	3,3




Art.No	LxDxH	Kg	Hr.
F40462	1454x300x890 mm	47	3,2



Art.No	LxDxH	Kg	Hr.
F40465	895x300x890 mm	54	3,1




Art.No	LxDxH	Kg	Hr.
F40468	1454x470x890 mm	57	2,9



Art.No	Height	Kg	Hr.
F40474	190	78	7,3



Art.No	Height	Kg	Hr.
F40475	250	86	7,3




Art.No	Height	Kg	Hr.
F40476	360	98	7,3


NISSAN NV250 L1

All kits are provided flat packed. Mounting times are advisory and for your reference only.


All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.



Art.No	LxDxH	Kg	Hr.
F40361	727x300x890 mm	27	2,6



Art.No	LxDxH	Kg	Hr.
F40360	1241x300x890 mm	21	2,1




Art.No	LxDxH	Kg	Hr.
F40363	812x300x890 mm	31	2,9




Art.No	LxDxH	Kg	Hr.
F40362	1241x300x890 mm	27	2,4



Art.No	LxDxH	Kg	Hr.
F40365	727x300x890 mm	36	2,5




Art.No	LxDxH	Kg	Hr.
F40366	1209x300x890 mm	54	3,4



Art.No	Height	Kg	Hr.
F40374	190	69	6,6



Art.No	Height	Kg	Hr.
F40375	250	87	7,1




Art.No	Height	Kg	Hr.
F40376	360	86	6,9


NISSAN NV250 L2

All kits are provided flat packed. Mounting times are advisory and for your reference only.


All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.



Art.No	LxDxH	Kg	Hr.
F40481	1108x300x890 mm	35	3,1



Art.No	LxDxH	Kg	Hr.
F40480	1633x300x890 mm	25	2,2




Art.No	LxDxH	Kg	Hr.
F40483	1197x300x890 mm	40	3,3




Art.No	LxDxH	Kg	Hr.
F40482	1633x300x890 mm	39	2,9



Art.No	LxDxH	Kg	Hr.
F40485	1108x300x890 mm	49	2,9




Art.No	LxDxH	Kg	Hr.
F40486	1601x300x890 mm	57	3,4



Art.No	Height	Kg	Hr.
F40494	190	77	6,6



Art.No	Height	Kg	Hr.
F40495	250	90	6,1



Art.No	Height	Kg	Hr.
F40496	360	100	6,9

NISSAN NV300 L1H1

All kits are provided flat packed. Mounting times are advisory and for your reference only.

All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.



Art.No	LxDxH	Kg	Hr.
F40841	1107x300x1000 mm	40	3,1



Art.No	LxDxH	Kg	Hr.
F40840	1998x300x1000 mm	34	2,9



Art.No	LxDxH	Kg	Hr.
F40843	1107x300x1000 mm	47	5,0



Art.No	LxDxH	Kg	Hr.
F40842	1998x300x1220 mm	59	4,4




Art.No	LxDxH	Kg	Hr.
F40845	1147x300x1220 mm	51	5,0



Art.No	LxDxH	Kg	Hr.
F40844	1998x300x1000 mm	52	4,0



Art.No	Height	Kg	Hr.
F40850	190	107	7,5



Art.No	Height	Kg	Hr.
F40851	250	123	7,8




Art.No	Height	Kg	Hr.
F40852	360	137	7,8


NISSAN NV300 L2H1

All kits are provided flat packed. Mounting times are advisory and for your reference only.

All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.



Art.No	LxDxH	Kg	Hr.
F40861	1530x300x1220 mm	62	3,3



Art.No	LxDxH	Kg	Hr.
F40860	2356x300x1220 mm	48	3,1




Art.No	LxDxH	Kg	Hr.
F40863	1500x300x1000 mm	63	5,0




Art.No	LxDxH	Kg	Hr.
F40862	2356x300x1000 mm	57	4,5



Art.No	LxDxH	Kg	Hr.
F40865	1500x300x1000 mm	83	5,5




Art.No	LxDxH	Kg	Hr.
F40864	2356x300x1220 mm	66	4,3



Art.No	Height	Kg	Hr.
F40870	190	109	7,5



Art.No	Height	Kg	Hr.
F40871	250	125	7,8



Art.No	Height	Kg	Hr.
F40872	360	139	7,8


NISSAN NV400 L1H1

All kits are provided flat packed. Mounting times are advisory and for your reference only.


All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.




Art.No	LxDxH	Kg	Hr.
F40541	1108x300x1000 mm	41	3,1




Art.No	LxDxH	Kg	Hr.
F40540	2091x470x1220 mm	51	2,5



Art.No	LxDxH	Kg	Hr.
F40543	1197x300x1000 mm	47	3,3



Art.No	LxDxH	Kg	Hr.
F40542	2180x470x1220 mm	78	3,9



Art.No	LxDxH	Kg	Hr.
F40545	1108x300x1000 mm	57	3,6



Art.No	LxDxH	Kg	Hr.
F40544	2091x300x1515 mm	76	5,2



Art.No	LxDxH	Kg	Hr.
F40547	1063x470x1220 mm	55	2,8



Art.No	Height	Kg	Hr.
F40546	2091x300x1220 mm	84	5,0

NISSAN NV400 L2H2

All kits are provided flat packed. Mounting times are advisory and for your reference only.

All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.



Art.No	LxDxH	Kg	Hr.
F40501	1287x300x890 mm	44	2,8



Art.No	LxDxH	Kg	Hr.
F40500	2449x470x1220 mm	56	2,5



Art.No	LxDxH	Kg	Hr.
F40503	1319x300x1220 mm	69	4,1



Art.No	LxDxH	Kg	Hr.
F40502	2449x470x1220 mm	86	3,9



Art.No	LxDxH	Kg	Hr.
F40505	1330x470x855 mm	100	4,1



Art.No	LxDxH	Kg	Hr.
F40504	2449x300x1515 mm	93	5,2



Art.No	LxDxH	Kg	Hr.
F40507	1242x470x1220 mm	61	2,8



Art.No	LxDxH	Kg	Hr.
F40506	2449x470x1510 mm	109	4,4

NISSAN NV400 L3H2

All kits are provided flat packed. Mounting times are advisory and for your reference only.

All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.



Art.No	LxDxH	Kg	Hr.
F40521	1892x300x1000 mm	83	4,1



Art.No	LxDxH	Kg	Hr.
F40520	3120x470x1220 mm	71	3,4



Art.No	LxDxH	Kg	Hr.
F40523	1924x300x1220 mm	96	4,8



Art.No	LxDxH	Kg	Hr.
F40522	3120x470x1220 mm	111	5,2



Art.No	LxDxH	Kg	Hr.
F40525	2071x470x855 mm	150	4,5



Art.No	LxDxH	Kg	Hr.
F40524	3086x300x1735 mm	144	8,5



Art.No	LxDxH	Kg	Hr.
F40527	1879x470x1220 mm	79	4,3




Art.No	LxDxH	Kg	Hr.
F40526	3054x470x1526 mm	148	5,0


NISSAN NV400 L4H2

All kits are provided flat packed. Mounting times are advisory and for your reference only.

All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.




Art.No	LxDxH	Kg	Hr.
F40561	2463x300x1000 mm	93	4,1



Art.No	LxDxH	Kg	Hr.
F40560	3691x470x1220 mm	82	3,4



Art.No	LxDxH	Kg	Hr.
F40563	2495x300x1220 mm	115	4,8



Art.No	LxDxH	Kg	Hr.
F40562	3780x470x1220 mm	139	5,2



Art.No	LxDxH	Kg	Hr.
F40565	2430x470x855 mm	199	6,1



Art.No	LxDxH	Kg	Hr.
F40564	3691x300x1735 mm	165	8,7



Art.No	LxDxH	Kg	Hr.
F40567	2271x470x1220 mm	89	4,3



Art.No	LxDxH	Kg	Hr.
F40566	3805x470x1526 mm	206	5,6


NISSAN NAVARA

All kits are provided flat packed. Mounting times are advisory and for your reference only.

All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.



Art.No	Height	Kg	Hr.	
F45300	214 mm	59	5,7	



Art.No	Height	Kg	Hr.	
F45301	220 mm	57	2,5	

INFORMATION



GENERAL INFO

All kits include what you see in the drawing, as well as installation parts, rubber mats for all shelves and foam for drawers.

System Edström Bilinredningar AB is certified
SS-EN ISO 9001:2015, ensuring our commitment
to managerial quality and high accuracy in
our deliveries.

All materials used by System Edström are 100% recyclable. We are also certified to SS-EN ISO 14001:2015.



REMEMBER

By choosing System Edström for your vehicle, you have taken the first and most important step to making your mobile workshop safe and functional. From here on, it is up to you how safe and functional your working place will be.

As the driver, you have full responsibility if you or anyone else is injured owing to poorly secured cargo. You are also responsible for ensuring the interior is mounted in the safest way possible, whatever your choice of workshop, even when using professional, knowledgeable and experienced installers.


DO NOT exceed the maximum payload of the vehicle.



SECURITY

Our products are safety tested with crash testing to the most stringent standards. All our products are crash tested to ECE 17:07 by Milbrook in England, and also Valutec in France (INRS NS286).

Find out more about our company and products
at www.systemedstrom.com.



Hooks

Depth	Width	Height	Kg	Part.No
31	295	40	0,3	2706
31	465	40	0,5	2708
85	80	100	0,2	4356
61	83	55	0,1	4357





Internal ladder holder

Length	Kg	Part.No
2400	5,5	T8900


Store your ladder on the inside of the roof, pull it back to the rear door in a simple operation. The aluminum rail comes in two parts with a joining piece.

ACCESSORIES




Pos.	Description
1	Universal hook
2	Cable/Hose rack
3	Pegboard basket
4	Vice and holders
5	Case support
6	Plastic bins
7	Drawer inserts
8	Shelf dividers
9	Tool case/File holder
10	Tool case
11	Gas bottle holders
12	Can/Tube holder

Accessory package No. 1



Accessory package No. 2



Security package



Art.No	Art.No	Art.No
F11001	F11002	F11003
Pegboard not included.	Pegboard not included.	



For more products: www.systemedstrom.co.uk



Up to 5 years warranty



Crash tested



Made in Sweden

**SYSTEM
EDSTRÖM**

EDSTRÖM OF SWEDEN LTD.
7, Cronin Road
Weldon South Industrial Estate, Corby
Northamptonshire NN18 8 AQ

CONTACT
Telephone 01536 203040
Email info@edstrom.co.uk
Homepage www.systemedstrom.co.uk