
TOYOTAProAce





TOYOTA PROACE CITY L1

All kits are provided flat packed. Mounting times are advisory and for your reference only.

All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.



















Art.No	Height	Kg	Hr.	Art.No	Height	Kg	Hr.	Art.No	Height	Kg	Hr.
F43110	190	66	6,1	F43112	250	71	6,1	F43111	360	88	6,6

TOYOTA PROACE CITY L2

All kits are provided flat packed. Mounting times are advisory and for your reference only.


All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.




















Art.No	Height	Kg	Hr.	Art.No	Height	Kg	Hr.	Art.No	Height	Kg	Hr.
F43130	190	76	6,1	F43132	250	81	6,1	F43131	360	100	6,6

TOYOTA PROACE COMPACT


All kits are provided flat packed. Mounting times are advisory and for your reference only.

All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.



















Art.No	Height	Kg	Hr.	Art.No	Height	Kg	Hr.	Art.No	Height	Kg	Hr.
F42110	190	81	6,1	F42111	250	87	6,1	F42112	360	106	6,4


TOYOTA PROACE MEDIUM

All kits are provided flat packed. Mounting times are advisory and for your reference only.

All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.



















Art.No Height Art.No Height Art.No Height Kg Kg Kg F42130 190 6,1 F42131 250 94 6,1 F42132 360 128 6,7

TOYOTA PROACE LONG


All kits are provided flat packed. Mounting times are advisory and for your reference only.

All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.



















Art.No Art.No Height Art.No Height Height Kg Kg Kg F42150 190 6,1 F42151 250 96 6,1 F42152 360 130 6,7

INFORMATION



GENERAL INFO

All kits include what you see in the drawing, as well as installation parts, rubber mats for all shelves and foam for drawers.

System Edström Bilinredningar AB is certified SS-EN ISO 9001:2015, ensuring our commitment to managerial quality and high accuracy in our deliveries.

All materials used by System Edström are 100% recyclable. We are also certified to SS-EN ISO 14001:2015.



REMEMBER

By choosing System Edström for your vehicle, you have taken the first and most important step to making your mobile workshop safe and functional. From here on, it is up to you how safe and functional your working place will be.

As the driver, you have full responsibility if you or anyone else is injured owing to poorly secured cargo. You are also responsible for ensuring the interior is mounted in the safest way possible, whatever your choice of workshop, even when using professional, knowledgeable and experienced installers.

DO NOT exceed the maximum payload of the vehicle.



SECURITY

Our products are safety tested with crash testing to the most stringent standards. All our products are crash tested to ECE 17:07 by Milbrook in England, and also Valutec in France (INRS NS286).

Find out more about our company and products at www.systemedstrom.com.






Pegboard tray									
Depth	Width	Height	Kg	Part.No					
82	200	80	0,5	4360					
82	285	102	0,8	4362					
122	455	122	1,5	4364					
153	179	575	3,0	4370					

A number of different trays that solve (almost) all storage problems.





		Hooks						
		Depth	Width	Height	Kg	Part.No		
		31	295	40	0,3	2706		
		31	465	40	0,5	2708		
4356	4357	85	80	100	0,2	4356		
		61	83	55	0,1	4357		
-DSTRÖM .	-03	М						
#SYSTEM EDSTRÖM	HISYSTEM EDSTROOM	2708						
2706	11.5	2700						
2700								






Internal ladder holder

Length	Kg	Part.No
2400	5,5	T8900

Store your ladder on the inside of the roof, pull it back to the rear door in a simple operation. The aluminum rail comes in two parts with a joining piece.













Up to 5 years warranty

Crash tested

Made in Sweden





EDSTROM OF SWEDEN LTD.

7, Cronin Road Weldon South Industrial Estate, Corby Northamptonshire NN188AQ

CONTACT

Telephone 01536 203040
Email info@edstrom.co.uk
Homepage www.systemedstrom.co.uk