

— CREATES MOBILE WORKPLACES —

VAUXHALL

Combo, Vivaro & Movano



SYSTEM 
EDSTRÖM


VAUXHALL COMBO L1

All kits are provided flat packed. Mounting times are advisory and for your reference only.

All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.




Art.No	LxDxH	Kg	Hr.
F43101	724x300x890 mm	31	2,8



Art.No	LxDxH	Kg	Hr.
F43100	1239x300x890 mm	22	2,1




Art.No	LxDxH	Kg	Hr.
F43103	848x300x890 mm	21	2,5



Art.No	LxDxH	Kg	Hr.
F43102	1285x300x890 mm	47	3,0



Art.No	LxDxH	Kg	Hr.
F43105	939x300x890 mm	41	3,0



Art.No	LxDxH	Kg	Hr.
F43104	1239x300x890 mm	40	3,4



Art.No	Height	Kg	Hr.
F43110	190	66	6,1



Art.No	Height	Kg	Hr.
F43112	250	71	6,1




Art.No	Height	Kg	Hr.
F43111	360	88	6,6

VAUXHALL COMBO L2

All kits are provided flat packed. Mounting times are advisory and for your reference only.

All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.



Art.No	LxDxH	Kg	Hr.
F43121	1138x300x890 mm	47	3,1



Art.No	LxDxH	Kg	Hr.
F43120	1662x300x890 mm	25	2,9



Art.No	LxDxH	Kg	Hr.
F43123	1138x300x1000 mm	47	3,6



Art.No	LxDxH	Kg	Hr.
F43122	1619x300x890 mm	51	3,1



Art.No	LxDxH	Kg	Hr.
F43125	1107x300x890 mm	59	4,2



Art.No	LxDxH	Kg	Hr.
F43124	1662x300x890 mm	50	4,1



Art.No	Height	Kg	Hr.
F43130	190	76	6,1



Art.No	Height	Kg	Hr.
F43132	250	81	6,1



Art.No	Height	Kg	Hr.
F43131	360	100	6,6


VAUXHALL VIVARO L1H1

All kits are provided flat packed. Mounting times are advisory and for your reference only.


All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.




Art.No	LxDxH	Kg	Hr.
F42101	758x300x1000 mm	19	2,1




Art.No	LxDxH	Kg	Hr.
F42100	1452x300x1000 mm	27	2,1



Art.No	LxDxH	Kg	Hr.
F42103	726x300x890 mm	27	3,1




Art.No	LxDxH	Kg	Hr.
F42102	1452x300x890 mm	37	2,8




Art.No	LxDxH	Kg	Hr.
F42105	726x300x890 mm	36	3,3




Art.No	LxDxH	Kg	Hr.
F42104	1452x300x1000 mm	44	3,0



Art.No	Height	Kg	Hr.
F42110	190	81	6,1



Art.No	Height	Kg	Hr.
F42111	250	87	6,1




Art.No	Height	Kg	Hr.
F42112	360	106	6,4


VAUXHALL VIVARO L2H1

All kits are provided flat packed. Mounting times are advisory and for your reference only.


All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.




Art.No	LxDxH	Kg	Hr.
F42121	1061x300x1000 mm	24	2,1




Art.No	LxDxH	Kg	Hr.
F42120	1785x300x1000 mm	33	2,9




Art.No	LxDxH	Kg	Hr.
F42123	1107x300x890 mm	35	3,1



Art.No	LxDxH	Kg	Hr.
F42122	1785x300x890 mm	42	3,6



Art.No	LxDxH	Kg	Hr.
F42125	1107x300x890 mm	46	3,3




Art.No	LxDxH	Kg	Hr.
F42124	1785x300x1000 mm	52	3,8



Art.No	Height	Kg	Hr.
F42130	190	87	6,1



Art.No	Height	Kg	Hr.
F42131	250	94	6,1




Art.No	Height	Kg	Hr.
F42132	360	128	6,7


VAUXHALL VIVARO L3H1

All kits are provided flat packed. Mounting times are advisory and for your reference only.


All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.



Art.No	LxDxH	Kg	Hr.
F42141	1453x300x1000 mm	29	2,1




Art.No	LxDxH	Kg	Hr.
F42140	2054x300x1000 mm	35	2,9



Art.No	LxDxH	Kg	Hr.
F42143	1440x300x1000 mm	50	3,3



Art.No	LxDxH	Kg	Hr.
F42142	2054x300x890 mm	46	3,7




Art.No	LxDxH	Kg	Hr.
F42145	1440x300x890 mm	61	3,6




Art.No	LxDxH	Kg	Hr.
F42144	2054x300x1000 mm	55	3,9



Art.No	Height	Kg	Hr.
F42150	190	91	6,1



Art.No	Height	Kg	Hr.
F42151	250	96	6,1



Art.No	Height	Kg	Hr.
F42152	360	130	6,7

VAUXHALL MOVANO L1H1

All kits are provided flat packed. Mounting times are advisory and for your reference only.


All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.



Art.No	LxDxH	Kg	Hr.
F40541	1108x300x1000 mm	41	3,1



Art.No	LxDxH	Kg	Hr.
F40540	2091x470x1220 mm	51	2,5



Art.No	LxDxH	Kg	Hr.
F40543	1197x300x1000 mm	47	3,3



Art.No	LxDxH	Kg	Hr.
F40542	2180x470x1220 mm	78	3,9



Art.No	LxDxH	Kg	Hr.
F40545	1108x300x1000 mm	57	3,6



Art.No	LxDxH	Kg	Hr.
F40544	2091x300x1515 mm	76	5,2



Art.No	LxDxH	Kg	Hr.
F40547	1063x470x1220 mm	55	2,8



Art.No	LxDxH	Kg	Hr.
F40546	2091x300x1220 mm	84	5,0

VAUXHALL MOVANO L2H2

All kits are provided flat packed. Mounting times are advisory and for your reference only.

All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.



Art.No	LxDxH	Kg	Hr.
F40501	1287x300x890 mm	44	2,8



Art.No	LxDxH	Kg	Hr.
F40500	2449x470x1220 mm	56	2,5



Art.No	LxDxH	Kg	Hr.
F40503	1319x300x1220 mm	69	4,1



Art.No	LxDxH	Kg	Hr.
F40502	2449x470x1220 mm	86	3,9



Art.No	LxDxH	Kg	Hr.
F40505	1330x470x855 mm	100	4,1



Art.No	LxDxH	Kg	Hr.
F40504	2449x300x1515 mm	93	5,2



Art.No	LxDxH	Kg	Hr.
F40507	1242x470x1220 mm	61	2,8



Art.No	LxDxH	Kg	Hr.
F40506	2449x470x1510 mm	109	4,4

VAUXHALL MOVANO L3H2

All kits are provided flat packed. Mounting times are advisory and for your reference only.

All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.



Art.No	LxDxH	Kg	Hr.
F40521	1892x300x1000 mm	83	4,1




Art.No	LxDxH	Kg	Hr.
F40520	3120x470x1220 mm	71	3,4



Art.No	LxDxH	Kg	Hr.
F40523	1924x300x1220 mm	96	4,8



Art.No	LxDxH	Kg	Hr.
F40522	3120x470x1220 mm	111	5,2



Art.No	LxDxH	Kg	Hr.
F40525	2071x470x855 mm	150	4,5



Art.No	LxDxH	Kg	Hr.
F40524	3086x300x1735 mm	144	8,5



Art.No	LxDxH	Kg	Hr.
F40527	1879x470x1220 mm	79	4,3




Art.No	LxDxH	Kg	Hr.
F40526	3054x470x1526 mm	148	5,0


VAUXHALL MOVANO L4H2

All kits are provided flat packed. Mounting times are advisory and for your reference only.

All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.




Art.No	LxDxH	Kg	Hr.
F40561	2463x300x1000 mm	93	4,1



Art.No	LxDxH	Kg	Hr.
F40560	3691x470x1220 mm	82	3,4



Art.No	LxDxH	Kg	Hr.
F40563	2495x300x1220 mm	115	4,8



Art.No	LxDxH	Kg	Hr.
F40562	3780x470x1220 mm	139	5,2



Art.No	LxDxH	Kg	Hr.
F40565	2430x470x855 mm	199	6,1



Art.No	LxDxH	Kg	Hr.
F40564	3691x300x1735 mm	165	8,7



Art.No	LxDxH	Kg	Hr.
F40567	2271x470x1220 mm	89	4,3



Art.No	LxDxH	Kg	Hr.
F40566	3805x470x1526 mm	206	5,6

INFORMATION



GENERAL INFO

All kits include what you see in the drawing, as well as installation parts, rubber mats for all shelves and foam for drawers.

System Edström Bilinredningar AB is certified SS-EN ISO 9001:2015, ensuring our commitment to managerial quality and high accuracy in our deliveries.

All materials used by System Edström are 100% recyclable. We are also certified to SS-EN ISO 14001:2015.



REMEMBER

By choosing System Edström for your vehicle, you have taken the first and most important step to making your mobile workshop safe and functional. From here on, it is up to you how safe and functional your working place will be.

As the driver, you have full responsibility if you or anyone else is injured owing to poorly secured cargo. You are also responsible for ensuring the interior is mounted in the safest way possible, whatever your choice of workshop, even when using professional, knowledgeable and experienced installers.


DO NOT exceed the maximum payload of the vehicle.



SECURITY

Our products are safety tested with crash testing to the most stringent standards. All our products are crash tested to ECE 17:07 by Milbrook in England, and also Valutec in France (INRS NS286).

Find out more about our company and products at www.systemedstrom.com.



Pegboard tray				
Depth	Width	Height	Kg	Part.No
82	200	80	0,5	4360
82	285	102	0,8	4362
122	455	122	1,5	4364
153	179	575	3,0	4370

A number of different trays that solve (almost) all storage problems.



Hooks				
Depth	Width	Height	Kg	Part.No
31	295	40	0,3	2706
31	465	40	0,5	2708
85	80	100	0,2	4356
61	83	55	0,1	4357



Hose/Cable rack				
Depth	Width	Height	Kg	Part.No
79	267	168	0,5	4077



Tube holder				
Depth	Width	Height	Kg	Part.No
66	194	123	0,4	4349



Internal ladder holder		
Length	Kg	Part.No
2400	5,5	T8900


Store your ladder on the inside of the roof, pull it back to the rear door in a simple operation. The aluminum rail comes in two parts with a joining piece.

ACCESSORIES




Pos.	Description
1	Universal hook
2	Cable/Hose rack
3	Pegboard basket
4	Vice and holders
5	Case support
6	Plastic bins
7	Drawer inserts
8	Shelf dividers
9	Tool case/File holder
10	Tool case
11	Gas bottle holders
12	Can/Tube holder

Accessory package No. 1



Accessory package No. 2



Security package



Art.No	Art.No	Art.No
F11001	F11002	F11003
Pegboard not included.	Pegboard not included.	



For more products: www.systemedstrom.co.uk



Up to 5 years warranty



Crash tested



Made in Sweden

**SYSTEM
EDSTRÖM**

EDSTRÖM OF SWEDEN LTD.
7, Cronin Road
Weldon South Industrial Estate, Corby
Northamptonshire NN18 8 AQ

CONTACT
Telephone 01536 203040
Email info@edstrom.co.uk
Homepage www.systemedstrom.co.uk