


— CREATES MOBILE WORKPLACES —

# VOLKSWAGEN

Caddy Cargo, Transporter T6, Crafter & Amarok



SYSTEM   
EDSTRÖM




# VW CADDY CARGO

All kits are provided flat packed. Mounting times are advisory and for your reference only.

All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.




Art.No	LxDxH	Kg	Hr.
F42201	848x300x890 mm	17	2,1



Art.No	LxDxH	Kg	Hr.
F42200	1149x300x890 mm	24	2,1




Art.No	LxDxH	Kg	Hr.
F42203	804x300x1000 mm	35	3,2




Art.No	LxDxH	Kg	Hr.
F42202	1149x300x1000 mm	38	2,9




Art.No	LxDxH	Kg	Hr.
F42205	804x300x1000 mm	43	3,3




Art.No	LxDxH	Kg	Hr.
F42204	1239x300x1075 mm	49	3,4



Art.No	Height	Kg	Hr.
F42210	190	66	6,1



Art.No	Height	Kg	Hr.
F42211	250	71	6,1




Art.No	Height	Kg	Hr.
F42212	360	79	6,1


# VW CADDY CARGO MAXI

All kits are provided flat packed. Mounting times are advisory and for your reference only.


All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.




Art.No	LxDxH	Kg	Hr.
F42221	1061x300x890 mm	23	2,1




Art.No	LxDxH	Kg	Hr.
F42220	1572x300x890 mm	28	2,6



Art.No	LxDxH	Kg	Hr.
F42223	1107x300x890 mm	35	3,2




Art.No	LxDxH	Kg	Hr.
F42222	1631x300x1000 mm	46	3,0



Art.No	LxDxH	Kg	Hr.
F42225	1107x300x890 mm	46	3,3




Art.No	LxDxH	Kg	Hr.
F42224	1631x300x1075 mm	57	3,4



Art.No	Height	Kg	Hr.
F42230	190	102	6,1



Art.No	Height	Kg	Hr.
F42231	250	108	6,1




Art.No	Height	Kg	Hr.
F42232	360	117	6,1


# VW TRANSPORTER T6 3000 mm wheel base

All kits are provided flat packed. Mounting times are advisory and for your reference only.


All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.



Art.No	LxDxH	Kg	Hr.
F41641	970x300x890 mm	19	2,2




Art.No	LxDxH	Kg	Hr.
F41640	1875x300x890 mm	29	2,9



Art.No	LxDxH	Kg	Hr.
F41643	894x300x890 mm	35	3,1



Art.No	LxDxH	Kg	Hr.
F41642	1875x300x890 mm	41	3,3




Art.No	LxDxH	Kg	Hr.
F41645	848x300x890 mm	25	2,4




Art.No	LxDxH	Kg	Hr.
F41644	1875x300x1185 mm	64	4,6



Art.No	Height	Kg	Hr.
F41650	190	95	7,0



Art.No	Height	Kg	Hr.
F41651	250	107	6,9




Art.No	Height	Kg	Hr.
F41654	360	119	6,9




# VW TRANSPORTER T6 3400 mm wheel base

All kits are provided flat packed. Mounting times are advisory and for your reference only.


All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.



Art.No	LxDxH	Kg	Hr.
F41661	1238x300x1000 mm	23	2,3




Art.No	LxDxH	Kg	Hr.
F41660	2267x300x1000 mm	36	2,9




Art.No	LxDxH	Kg	Hr.
F41663	1286x300x890 mm	44	3,1




Art.No	LxDxH	Kg	Hr.
F41662	2267x300x890 mm	44	3,3



Art.No	LxDxH	Kg	Hr.
F41665	1240x300x1000 mm	35	2,5



Art.No	LxDxH	Kg	Hr.
F41664	2267x300x1185 mm	69	4,5



Art.No	Height	Kg	Hr.
F41670	190	97	7,0



Art.No	Height	Kg	Hr.
F41671	250	109	6,9




Art.No	Height	Kg	Hr.
F41674	360	121	6,9

# VW CRAFTER L3H3 3640 mm wheel base

All kits are provided flat packed. Mounting times are advisory and for your reference only.

All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.




Art.No	LxDxH	Kg	Hr.
F41901	1539x300x1440 mm	55	3,3



Art.No	LxDxH	Kg	Hr.
F41900	2869x300x1440 mm	60	4,4




Art.No	LxDxH	Kg	Hr.
F41903	1539x300x1440 mm	78	4,7



Art.No	LxDxH	Kg	Hr.
F41902	2869x300x1440 mm	87	4,4



Art.No	LxDxH	Kg	Hr.
F41905	1662x300x1735 mm	79	5,4



Art.No	LxDxH	Kg	Hr.
F41904	2904x470x1440 mm	144	5,8



Art.No	LxDxH	Kg	Hr.
F41907	1599x470x855 mm	109	4,5




Art.No	LxDxH	Kg	Hr.
F41906	2869x300x1735 mm	119	6,6




# VW CRAFTER L4H3 4490 mm wheel base

All kits are provided flat packed. Mounting times are advisory and for your reference only.


All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.



Art.No	LxDxH	Kg	Hr.
F41921	2101x300x1440 mm	66	3,3



Art.No	LxDxH	Kg	Hr.
F41920	3474x300x1440 mm	72	4,4




Art.No	LxDxH	Kg	Hr.
F41923	2101x300x1440 mm	112	5,0




Art.No	LxDxH	Kg	Hr.
F41922	3596x300x1440 mm	112	4,5




Art.No	LxDxH	Kg	Hr.
F41925	2314x300x1440 mm	133	5,9



Art.No	LxDxH	Kg	Hr.
F41924	3565x470x1670 mm	182	5,8



Art.No	LxDxH	Kg	Hr.
F41927	2340x470x855 mm	165	5,3



Art.No	LxDxH	Kg	Hr.
F41926	3597x300x1440 mm	133	6,3


# VW CRAFTER L5H3 4490 mm wheel base

All kits are provided flat packed. Mounting times are advisory and for your reference only.

All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.



Art.No	LxDxH	Kg	Hr.
F41941	2916x300x1440 mm	80	3,9



Art.No	LxDxH	Kg	Hr.
F41940	4110x300x1440 mm	83	5,0



Art.No	LxDxH	Kg	Hr.
F41943	2916x300x1440 mm	136	6,3



Art.No	LxDxH	Kg	Hr.
F41942	4187x300x1440 mm	120	5,3



Art.No	LxDxH	Kg	Hr.
F41945	2916x300x1440 mm	146	7,2



Art.No	LxDxH	Kg	Hr.
F41944	4136x470x1670 mm	230	6,8



Art.No	LxDxH	Kg	Hr.
F41947	2822x470x855 mm	233	7,2




Art.No	LxDxH	Kg	Hr.
F41946	4098x300x1440 mm	157	6,9



# VW AMAROK

All kits are provided flat packed. Mounting times are advisory and for your reference only.

All kits are provided with an installation guide. However, due to the complex nature of today's LCVs, including EV & Hybrid vehicles, we recommend installation by our approved partners.



Art.No	Height	Kg	Hr.
F45200	214 mm	59	5,7



Art.No	Height	Kg	Hr.
F45201	220 mm	57	2,5

## INFORMATION



### GENERAL INFO

All kits include what you see in the drawing, as well as installation parts, rubber mats for all shelves and foam for drawers.

System Edström Bilinredningar AB is certified SS-EN ISO 9001:2015, ensuring our commitment to managerial quality and high accuracy in our deliveries.

All materials used by System Edström are 100% recyclable. We are also certified to SS-EN ISO 14001:2015.



### REMEMBER

By choosing System Edström for your vehicle, you have taken the first and most important step to making your mobile workshop safe and functional. From here on, it is up to you how safe and functional your working place will be.

As the driver, you have full responsibility if you or anyone else is injured owing to poorly secured cargo. You are also responsible for ensuring the interior is mounted in the safest way possible, whatever your choice of workshop, even when using professional, knowledgeable and experienced installers.

DO NOT exceed the maximum payload of the vehicle.



### SECURITY

Our products are safety tested with crash testing to the most stringent standards. All our products are crash tested to ECE 17:07 by Milbrook in England, and also Valutec in France (INRS NS286).

Find out more about our company and products at [www.systemedstrom.com](http://www.systemedstrom.com).





## Vice

Depth	Width	Height	Kg	Part.No
360	135	140	10,3	5004


The forged vice is complete with pipe jaw and turning plate. Max opening 140 mm.



## Vice Holders

Depth	Width	Height	Kg	Part.No
1110	210	195	9,4	5012
1110	210	80	8,9	5013


Plate measurement 180x210 mm. Cover 2950 is included.




## Gas bottle holder adjustable

Depth	Width	Height	Tube Ø	Kg	Part.No
150	300	97	< 300	0,9	2910

Liquefied petroleum gas P6 (bottles with 320 mm Ø can be stored after modification).



4370



4360



4362

## Pegboard tray

Depth	Width	Height	Kg	Part.No
82	200	80	0,5	4360
82	285	102	0,8	4362
122	455	122	1,5	4364
153	179	575	3,0	4370

A number of different trays that solve (almost) all storage problems.



4364



## Internal ladder holder

Length	Kg	Part.No
2400	5,5	T8900

Store your ladder on the inside of the roof, pull it back to the rear door in a simple operation. The aluminum rail comes in two parts with a joining piece.







4077



4349

### Hose/Cable rack

Depth	Width	Height	Kg	Part.No
79	267	168	0,5	4077

### Tube holder

66	194	123	0,4	4349
----	-----	-----	-----	------



4356



4357

### Universal hook

Depth	Width	Height	Kg	Part.No
85	80	100	0,2	4356
61	83	55	0,1	4357

Simplicity at its best, heavy duty hooks, to be mount on a pegboard or hang it on the edge of a shelf.



### Plastic bin for shelves

Depth	Width	Height	Kg	Part.No
300	145	154	0,4	3050
300	235	154	0,5	3052
470	145	154	0,5	3055
470	235	154	0,5	3057

### Transparent lid for plastic bins

Depth	Width	Fits	Kg	Part.No
300	150	3050	0,2	3060
300	240	3052	0,2	3062
470	150	3055	0,2	3065
470	240	3057	0,4	3067

### Dividers for plastic bins

Width	Height	Fits	Part.No
140	154	3050, 55	3070
230	154	3052, 57	3072

### Bracket for dropfront shelves


Depth	Kg	Part.No
300	0,1	3081
470	0,2	3082



### Clothes hook

Depth	Width	Height	Kg	Part.No
31	295	40	0,3	2706
31	465	40	0,5	2708

We call it a clothes hook but, needless to say, you can use it to hang up whatever you want on it.





### Strap with brackets

Information	Width	Part.No
1200 mm, nylon strap	25	4365
1000 mm, elastic strap	25	4366


The brackets will fit on our pegboards.

# ACCESSORIES




Pos.	Description
1	Universal hook
2	Cable/Hose rack
3	Pegboard basket
4	Vice and holders
5	Case support
6	Plastic bins
7	Drawer inserts
8	Shelf dividers
9	Tool case/File holder
10	Tool case
11	Gas bottle holders
12	Can/Tube holder

## Accessory package No. 1



## Accessory package No. 2



## Security package



Art.No	Art.No	Art.No
F11001	F11002	F11003
Pegboard not included.	Pegboard not included.	



For more products: [www.systemedstrom.co.uk](http://www.systemedstrom.co.uk)



Up to 5 years warranty



Crash tested



Made in Sweden

**SYSTEM  
EDSTRÖM**

**EDSTRÖM OF SWEDEN LTD.**  
7, Cronin Road  
Weldon South Industrial Estate, Corby  
Northamptonshire NN18 8 AQ

**CONTACT**  
Telephone 01536 203040  
Email [info@edstrom.co.uk](mailto:info@edstrom.co.uk)  
Homepage [www.systemedstrom.co.uk](http://www.systemedstrom.co.uk)